

Working Together for a Better Tomorrow. Today.

BID SPECIFICATION PACKAGE

for

URANIUM REMOVAL TANK REFURBISHMENT

C132831

Bid Opening Date/Time

Tuesday, August 29, 2023 at 2:15 p.m. (local time)
City of Grand Island, City Hall
100 East 1st Street, P.O. Box 1968
Grand Island, NE 68802-1968

Contact Information

Lynn Mayhew, Assistant Utilities Director-Production
City of Grand Island – Utilities Department
Platte Generating Station
Email: lmayhew@giud.com

Phone: 308/385-5496

Date issued: August 4, 2023

ADVERTISEMENT TO BIDDERS FOR URANIUM REMOVAL TANK REFURBISHMENT FOR CITY OF GRAND ISLAND, NEBRASKA

Sealed bids for Uranium Removal Tank Refurbishment will be received at the office of the City Clerk, 100 E. First Street, P.O. Box 1968, Grand Island, Nebraska 68802, until **Tuesday, August 29, 2023 at 2:15 p.m. local time,** FOB the City of Grand Island, freight prepaid. Bids will be publicly opened at this time in the Grand Island City Hall City Clerk's Office located on 1st floor of City Hall. **Submit an original and three copies if submitting by mail.** Bid package and any Addendas are also available on-line at www.grand-island.com under Business-Bids and Request for Proposals-Bid Calendar under the bid opening date. Bidding documents, plans and specifications for use in preparing bids may be downloaded from the QuestCDN website www.QuestCDN.com for a \$42.00 fee. Submitting through QuestCDN requires one original document of the bid to be uploaded. **Bids received after the specified time will not be considered**.

The successful bidder will be required to comply with fair labor standards as required by Nebraska R.R.S.73-102 and comply with Nebraska R.R.S. 48-657 pertaining to contributions to the Unemployment Compensation Fund of the State of Nebraska. Successful bidder shall maintain a drug free workplace policy. Every public contractor and his, her or its subcontractors who are awarded a contract by the City for the physical performance of services within the State of Nebraska shall register with and use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska.

Each bidder shall submit with the bid a certified check, a cashiers check, or bid bond payable to the City of Grand Island Treasurer in an amount no less than five percent (5%) of the bid price which shall guarantee good faith on the part of the bidder and the entering into a contract within fifteen (15) days at the bid price if accepted by the City. Your certified check, cashiers check or bid bond must be submitted in a separate envelope attached to the outside of the envelope containing the bid. Each envelope must be clearly marked indicating its contents. Failure to submit the necessary qualifying information and correct number of copies in clearly marked and separate envelopes will result in your bid not being opened or considered. Only surety companies authorized to do business in the State of Nebraska may issue bid bonds.

Bids will be evaluated by the Purchaser based on price, schedule, quality, adherence to schedule, plan and specifications, economy and efficiency of operation, experience and reputation of the bidder, ability, capacity, and skill of the bidder to perform contract required and adaptability of the particular items to the specific use intended.

The Purchaser reserves the right to reject any or all bids, to waive irregularities therein, and to accept whichever bid that may be in the best interest of the City, at its sole discretion.

No bidder may withdraw his/her bid for a period of thirty (30) days after date of bid opening.

RaNae Edwards, City Clerk

Advertised

URANIUM REMOVAL TANK REFURBISHMENT BID DATA FORM

CITY OF GRAND ISLAND GRAND ISLAND, NE

THE undersigned Bidder, having examined the plans, specifications, general and special conditions, and other proposed contract documents, and all addenda thereto, and being acquainted with and fully understanding all conditions relative to the location, arrangement and specified materials and equipment for the proposed work, HEREBY proposes to provide/furnish all materials, equipment, labor and supervision necessary to prepare, make repairs to four 10,000 gallon vessels (two at a time) and fix corrosive areas and recoat FOB the City of Grand Island, freight prepaid, at the following price:

Base Bid:	2024 - T	<u>EXTENDE</u> anks 1 & 2	2025 - Tanks 3 & 4
Material	\$		\$
Mobilization/Demobilization	\$		\$
Labor	\$		\$
Applicable Sales Tax*	\$		\$
Total Base Bid	\$		\$
Total Combined Bid		\$	
* If bidder fails to include sales tax in their bid price add a 7.5% figure to the bid price for evaluation pu			
Exceptions Noted - Bidder acknowledges the those exceptions are fully explained on a se			
Bidder Company Name		Da	te
Bidder Company Name Company Address	City	Da State	te Zip
· ·		State	
Company Address	City	State	Zip
Company Address Print Name of Person Completing Bid	City Telepho	State Si one No	Zip gnature
Company Address Print Name of Person Completing Bid Email: According to Nebraska Sales and Use Tax Requ	City Telepho Telepho Revenue: e tax exemption of any structricity. Separa	State Sione No	gnature meck which option you have labor charges for the for the generation, entractor labor would
Company Address Print Name of Person Completing Bid Email: According to Nebraska Sales and Use Tax Requiselected to file with the Nebraska Department of Nebraska law provides a sales and use construction, repair, or annexati transmission, or distribution of ele	City Telepho Telepho Revenue: e tax exemption of any structricity. Separate according to the	State Signature No	Zip gnature deck which option you have labor charges for the for the generation, entractor labor would soption.

By checking this box, Bidder acknowledges the specified completion date of the project is February 1, 2025.
By checking this box, Bidder acknowledges that Addenda Number(s) were received and considered in Bid preparation.
Note: If Bidder supplies individual unit pricing information as supplemental pricing to the base material and labor cost above, said individual pricing is proprietary information and should not be released under a public records request. The total base bid is not considered proprietary information and will be released pursuant to City Procurement Code.
The City reserves the right to reject any bid section(s) submitted by the successful bidder. In submitting the bid, it is understood that the right is reserved by the City to reject any and all bids; to waive irregularities therein and to accept whichever bid that may be in the best interest of the City. It is understood that this bid may not be withdrawn by the bidder until after thirty (30) days from bid opening.
In submitting the bid, the bidder acknowledges the bid guarantee will be forfeited to and become the property of the City of Grand Island, Nebraska, as liquidated damages should this bid be accepted and a contract be awarded to them and they fail to enter into a contract in the form prescribed and to furnish the required bonds within fifteen (15) days, but otherwise the aforesaid bid guarantee will be returned upon signing the Contract and delivering the approved bonds.
Insurance: Bidder acknowledges that their bid includes compliance with the attached insurance requirements.
The Bidder agrees to furnish the required performance and payment bond and to enter into a contract within fifteen (15) days after acceptance of this Bid, and further agrees to complete all work covered by the foregoing bid in accordance with specified requirements. No work shall commence until the Certificate of Insurance and bonds (when required) are approved by the City and the Contract is executed. The proposed work can commence after the Contract is signed and the required bond is approved.
End of Bid Data Form

INSTRUCTIONS TO BIDDERS

1. GENERAL INFORMATION.

The following instructions outline the procedure for preparing and submitting Bids. Bidders must fulfill all requirements as specified in these Documents.

2. TYPE OF BID.

Bidders shall be required to submit prices for all items listed in the Bid Data Form.

3. PREPARATION OF BIDS.

Bidders shall use only the Bid Data Form provided in these Documents. All blank spaces in the Bid Data Form must be filled in, preferably in BLACK ink, in both words and figures where required. No changes to the wording or content of the forms is permitted. Written amounts shall govern in case of discrepancy between the amounts stated in writing and the amounts stated in figures.

Prices stated shall be f.o.b. with freight and full insurance paid by Bidder, to the job site located in Grand Island, Nebraska.

The Bidder shall acknowledge receipt of all Addenda in the Bid Data Form. Bids received without acknowledgement or without the Addendum enclosed will be considered informal.

Individual unit pricing as listed on the Bid Data Form or supplied as supplemental information may be deemed proprietary information and not be released under a public records request. The total amount of the bid is not considered proprietary information and will be released pursuant to City Procurement Code.

4. SUBMISSION OF BIDS.

All Bids must be submitted intact with the correct number of copies no later than the time prescribed, at the place, and in the manner set forth in the ADVERTISEMENT FOR BIDS. Bids must be made on the Bid Data Form provided herein. Each Bid mailed must be submitted intact in a sealed envelope, so marked as to indicate its contents without being opened, and delivered in person or addressed and mailed in conformance with the instructions in the ADVERTISEMENT FOR BIDS.

5. BID SECURITY.

Bids must be accompanied by cash, a certified check, or cashier's check drawn on a bank which is insured by the Federal Deposit Insurance Corporation, or a bid bond issued by a Surety authorized to issue such bonds in the state where the Work is located, in the amount of 5 percent of the bid amount payable to OWNER. This bid security shall be given as a guarantee that the Bidder will not withdraw their Bid for a period of thirty (30) days after bid opening, and that if awarded the Contract, the successful Bidder will execute the attached Contract within the time specified.

The Attorney-in-Fact that executes this bond on behalf of the Surety must attach a notarized copy of his/her power of attorney as evidence of his/her authority to bind the Surety on the date of execution of the bond. Where State Statue requires, certification by a resident agent shall also be provided.

6. RETURN OF BID SECURITY.

Within fifteen (15) days after the award of the Contract, the OWNER will return the bid securities to all Bidders whose Bids are not to be further considered in awarding the Contract. All other retained bid securities will be held until the Contract has been finally executed, after which all bid securities, other than Bidders' bonds and guarantees which have been fortified, will be returned to the respective Bidders whose Bids they accompanied.

7. BASIS OF AWARD.

The award will be made by the OWNER on the basis of the Bid from the lowest responsive, responsible Bidder which, in the OWNER's sole and absolute judgment will best serve the interest of the OWNER. All Bids will be considered on the following basis:

Delivery time Conformance with the terms of the Bid Bid price Documents

Cost of installation

Suitability to project requirements Responsibility and qualification of Bidder

The OWNER reserves the right to reject all Bids, or any Bid not in conformance with the intent of the Bid Documents, and to waive any informalities and irregularities in said Bids.

8. EXECUTION OF CONTRACT.

The successful Bidder shall, within fifteen (15) days after receiving notice of award, sign and deliver to the OWNER the Contract hereto attached together as required in these Bid Documents. Within fifteen (15) days after receiving the signed Contract from the successful Bidder, the OWNER's authorized agent will sign the Contract. Signature by both parties constitutes execution of the Contract.

9. TIME OF COMPLETION.

The time of completion of the Work to be performed under this Contract is the essence of the Contract. The time allowed for the completion of the Work is stated in the Bid Data Form.

10. GRATUITIES AND KICKBACKS.

City Code states that it is unethical for any person to offer, give, or agree to give any City employee or former City employee, or for any City employee or former City employee to solicit, demand, accept, or agree to accept from another person, a gratuity or an offer of employment in connection with any decision, approval, disapproval, recommendation, or preparation of any part of a program requirement or a purchase request, influencing the content of any specification or procurement standard, rendering of advice, investigation, auditing, or in any other advisory capacity in any proceeding or application, request for ruling, determination, claim or controversy, or other particular matter, pertaining to any program requirement or a contract or subcontract, or to any solicitation or proposal therefor. It shall be unethical for any payment, gratuity, or offer of employment to be made by or on behalf of a subcontractor under a contract to the prime contractor or higher tier subcontractor or any person associated therewith, as an inducement for the award of a subcontract or order.

11. FISCAL YEAR.

The City of Grand Island, Nebraska operates on a fiscal year beginning October 1st and ending on the following September 30th. It is understood and agreed that any portion of this agreement which will be performed in a future fiscal year is contingent upon the City Council adopting budget statements and appropriations sufficient to fund such performance.

CONTRACT AGREEMENT

THIS AGREEMENT made and entered into by and between [SUCCESSFUL BIDDER], hereinafter called the Contractor, and the CITY OF GRAND ISLAND, NEBRASKA, hereinafter called the City.

WITNESSETH:

THAT, WHEREAS, in accordance with law, the City has caused contract documents to be prepared and an advertisement calling for bids to be published for *URANIUM REMOVAL TANK REFURBISHMENT*: and

WHEREAS, the City, in the manner prescribed by law, has publicly opened, examined, and canvassed the bids submitted, and has determined the aforesaid Contractor to be the lowest responsive and responsible bidder, and has duly awarded to said Contractor a contract therefore, for the sum or sums named in the Contractor's bid, a copy thereof being attached to and made a part of this Contract;

NOW, THEREFORE, in consideration of the compensation to be paid to the Contractor and of the mutual agreements herein contained, the parties have agreed and hereby agree, the City for itself and its successors, and the Contractor for itself, himself/herself, or themselves, and its, his/her, or their successors, as follows:

<u>ARTICLE I</u>. That the following documents shall comprise the Contract, and shall together be referred to as the "Agreement" or the "Contract Documents";

- 1. This Contract Agreement.
- 2. City of Grand Island's Specification for this project.
- 3. [NAME OF SUCCESSFUL BIDDER] bid signed and dated [DATE OF BID].

In the event of any conflict between the terms of the Contract Documents, the provisions of the document first listed shall prevail.

ARTICLE II. That the Contractor shall (a) furnish all tools, equipment, superintendence, transportation, and other construction materials, services and facilities; (b) furnish, as agent for the City, all materials, supplies and equipment specified and required to be incorporated in and form a permanent part of the completed work; (c) provide and perform all necessary labor; and (d) in a good substantial and workmanlike manner and in accordance with the requirements, stipulations, provisions, and conditions of the Contract documents as listed in the attached General Specifications, said documents forming the Contract and being as fully a part thereof as if repeated verbatim herein, perform, execute, construct and complete all work included in and covered by the City's official award of this Contract to the said Contractor, such award being based on the acceptance by the City of the Contractor's bid;

ARTICLE III. That the City shall pay to the Contractor for the performance of the work embraced in this Contract and the Contractor will accept as full compensation therefore the sum (subject to adjustment as provided by the Contract) of **[DOLLAR AMOUNT] (\$00.00)** for all services, materials, and work covered by and included in the Contract award and designated in the foregoing Article II; payments thereof to be made in cash or its equivalent in the manner provided in the General Specifications.

The total cost of the Contract includes:

Two (2) Vessels coated by:	January 2	2024	Januar	y 2025
Base Bid: Materials	\$.00	\$.00
Mobilization/Demobilization	\$.00	\$.00
Sales tax (based on Contractor Tax Option):	\$.00	<u>\$</u>	.00
Total base bid	\$.00	\$.00
Total Bid	\$			

Contractor Tax Option

The City of Grand Island, Nebraska operates on a fiscal year beginning October 1st and ending on the following September 30th. It is understood and agreed that any portion of this agreement which will be performed in a future fiscal year is contingent upon the City Council adopting budget statements and appropriations sufficient to fund such performance.

ARTICLE IV. The Contractor hereby agrees to act as agent for the City in purchasing materials and supplies for the City for this project. The City shall be obligated to the vendor of the materials and supplies for the purchase price, but the Contractor shall handle all payments hereunder on behalf of the City. The vendor shall make demand or claim for payment of the purchase price from the City by submitting an invoice to the Contractor. Title to all materials and supplies purchased hereunder shall vest in the City directly from the vendor. Regardless of the method of payment, title shall vest immediately in the City. The Contractor shall not acquire title to any materials and supplies incorporated into the project. All invoices shall bear the Contractor's name as agent for the City. This paragraph will apply only to these materials and supplies actually incorporated into and becoming a part of the finished product of the URANIUM REMOVAL TANK REFURBISHMENT.

ARTICLE V. That the Contractor shall start work as soon as possible after the Contract is signed and the required bonds and insurance are approved, and that the Contractor shall deliver the equipment, tools, supplies, and materials F.O.B. Platte Generating Station, and complete the work on or before *February 1, 2025.*

ARTICLE VI. The Contractor agrees to comply with all applicable State fair labor standards in the execution of this Contract as required by Section 73-102, R.R.S. 1943. The Contractor further agrees to comply with the provisions of Section 48-657, R.R.S. 1943, pertaining to contributions to the Unemployment Compensation Fund of the State of Nebraska. During the performance of this Contract, the Contractor and all subcontractors agree not to discriminate in hiring or any other employment practice on the basis, of race, color, religion, sex, national origin, age or disability. The Contractor agrees to comply with all applicable Local, State and Federal rules and regulations. The Contractor agrees to maintain a drug-free workplace policy and will provide a copy of the policy to the City upon request. Every public contractor and his, her or its subcontractors who are awarded a contract by the City for the physical performance of services within the State of Nebraska shall register with and use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska.

ARTICLE VII. Gratuities and kickbacks: City Code states that it is unethical for any person to offer, give, or agree to give any City employee or former City employee, or for any City employee or former City employee to solicit, demand, accept, or agree to accept from another person, a

gratuity or an offer of employment in connection with any decision, approval, disapproval, recommendation, or preparation of any part of a program requirement or a purchase request, influencing the content of any specification or procurement standard, rendering of advice, investigation, auditing, or in any other advisory capacity in any proceeding or application, request for ruling, determination, claim or controversy, or other particular matter, pertaining to any program requirement or a contract or subcontract, or to any solicitation or proposal therefor. It shall be unethical for any payment, gratuity, or offer of employment to be made by or on behalf of a subcontractor under a contract to the prime contractor or higher tier subcontractor or any person associated therewith, as an inducement for the award of a subcontract or order.

[SUCCESSFUL BIDDER]	
Ву	Date
Title	
CITY OF GRAND ISLAND, NEBRASKA	
By Mayor	Date
Attest:City Clerk	
The Contract is in due form according to law and h	nereby approved.
A11 6:11 6:1	Date
Attorney for the City	



Working Together for a Better Tomorrow, Today.

REQUEST FOR BIDS - GENERAL SPECIFICATIONS

The Bid shall be in accordance with the following and with all attached BID DATA and DETAILED SPECIFICATIONS.

All prices are to be furnished and installed FOB, Grand Island, Nebraska. All prices shall be firm, and shall include all sales and use taxes as lawfully assessed under laws and regulations of the State of Nebraska. * If bidder fails to include sales tax in their bid price or takes exception to including sales tax in their bid price, the City will add a 7.5% figure to the bid price for evaluation purposes; however, the City will only pay actual sales tax due.

Mailed bids shall include the following on the **outside** of the mailing envelope: "**Uranium Removal Tank Refurbishment**". All bids submitted by mail must include <u>an original and three copies</u> of the bid. The bid specification and on-line bidding forms are also available at http://www.grand-island.com/business/bids-and-request-for-proposals/bid-calendar under the bid opening date and "Click here for bid document link" through QuestCDN for a \$42.00 fee. If submitting through QuestCDN, <u>one</u> original document of the bid is required to be uploaded. No verbal bids will be considered. All sealed bids are due no later than **Tuesday**, **August 29**, **2023 at 2:15 p.m. local time**. to:

Mailing Address: City Clerk Street Address: City Clerk

City Hall City Hall

P. O. Box 1968 100 E. First Street

Grand Island, NE 68802-1968 Grand Island, NE 68801

Bids will be opened at this time in the City Hall City Clerk's Office located on 1st floor of City Hall. Any bid received after the specified date will not be considered.

Bids will be evaluated by the Purchaser based on price, schedule, quality, adherence to schedule, plan and specifications, economy and efficiency of operation, experience and reputation of the bidder, ability, capacity, and skill of the bidder to perform contract required and adaptability of the particular items to the specific use intended.

The successful bidder will be required to comply with fair labor standards as required by Nebraska R.R.S.73-102 and comply with Nebraska R.R.S. 48-657 pertaining to contributions to the Unemployment Compensation Fund of the State of Nebraska. Contractor shall maintain a drug free workplace policy. Every public contractor and his, her or its subcontractors who are awarded a contract by the City for the physical performance of services within the State of Nebraska shall register with and use a federal immigration verification system to determine the work eligibility status of new employees physically performing services within the State of Nebraska.

The equipment and materials must be new, the latest make or model, unless otherwise specified. Prior to approving the invoice for payment, the City reserves the right to thoroughly inspect and test the equipment to confirm compliance with specifications. Any equipment or material which does not meet the City's requirements will be returned at vendor's expense for correction. The invoice will be paid after approval at the next regularly scheduled City Council meeting and occurring after departmental approval of invoice; the City Council typically meets the second and fourth Tuesday of each month. Invoices must be received well in advance of Council date to allow evaluation and processing time.

Each bidder shall submit with the bid a certified check, a cashier's check, or bid bond payable to the City of Grand Island in an amount no less than five percent (5%) of the bid price which shall guarantee good faith on the part of the Bidder and the entering into a contract within fifteen (15) days at the bid price if accepted by the City. Your certified check, cashier's check or bid bond must be submitted in a separate envelope attached to the outside of the envelope containing the bid. Each envelope must be clearly marked indicating its contents. Failure to submit the necessary qualifying information and correct number of copies in clearly marked and separate envelopes will result in your bid not being opened or considered. Only surety companies authorized to do business in the State of Nebraska may issue bid bonds.

Successful bidder shall comply with the City's insurance requirements; All bids shall be valid for at least thirty (30) working days after the bid deadline for evaluation purposes.

All bids must be on the bid form and must be signed and dated to be accepted. If exceptions and/or clarifications are noted to the bid, those exceptions must be fully explained on a separate sheet, clearly marked, and included with the Bid. Any changes that are found made to the original bid specification, other than Owner generated Addendums, would result in your bid not being considered. Please contact Lynn Mayhew at 308-385-5495 or email lmayhew@giud.com for questions concerning this specification.

Grand Island Water System Uranium Removal Tank Refurbishment

SCOPE: The project is to make repairs to four (4) 10,000 gallon (14' diameter x 14' tall) vessels and fix corrosive areas and recoat. The Contractor shall furnish all material, equipment, labor, and supervision necessary to prepare and paint the interior and exterior of the four vessels after as herein described.

<u>LOCATION:</u> The Grand Island Water treatment plant is located at the Platte River Wellfield located south of Grand Island, NE on South Locust and Wellfield Road.

TANK DESCRIPTION:

The four tanks are 10,000 gallons (14' diameter x 14' tall) each located inside a heated building. The tanks are used to hold media that absorbs natural occurring uranium in the water. The media will be removed by Water Remediation Technologies (WRT) and the tanks will be surveyed for any residual radioactivity and cleared prior to painting contractor mobilizing to complete coating work. The tanks have laterals inside the vessel that will be removed by WRT. Grand Island Utilities will remove piping for medication prior to coating contractor performing work. There will be a separate contractor repairing internal structural supports prior to coating.

TANK REPAIRS: A separate contractor will be making repairs to internal structural supports.

<u>TEST AND INSPECTIONS:</u> Contractor shall hire a NACE certified inspector to document coating applications and perform holiday testing of interior vessel coating. All work shall be subject to visual inspection by the Owner for runs, sags, visible laps, brush marks, etc. Flawed areas shall be repaired. The effectiveness of the separators shall be determined by discharging the air against a clean white blotter for at least 10 seconds. The air is acceptable if there is no visible discoloration or contamination on the blotter. The test shall be performed before beginning spray painting and at four-hour intervals. The test shall be at full operating pressure and velocity. Paint shall be checked for proper mil thickness after each coat and checked for holidays and documented by NACE inspector.

<u>CLEAN-UP:</u> During the course of work, the Contractor shall daily clean up all debris, remove unnecessary scaffolding, equipment, and surplus material. Upon completion the Contractor shall leave the premises in a neat and clean condition with respect to his own operation. Removal of all protective coverings erected by the Contractor is mandatory.

EQUIPMENT: Effective oil and water separators shall be used to all compressed air lines serving spray painting. Separators shall be placed as close as practical to the equipment and their effectiveness tested in accordance with these specifications. All equipment for application of paint shall be furnished by the Contractor and shall comply with recommendations of the paint manufacturer.

<u>FIELD FACILITIES:</u> This is a remote location where no compressed air or potable water is available. The Contractor shall furnish all compressed air. Non-potable water will be available.

There is 120VAC electrical power in the building. All low voltage connections shall be GFI protected in accordance with the NEC.

The Contractor shall furnish all equipment and temporary storage to complete the work described in this specification.

The Contractor shall provide temporary restroom facilities for his crew, there are no facilities at the site.

SAFTEY: The Contractor shall follow all OSHA regulations and Utility safety regulations.

<u>SCHEDULE:</u> There are four (4) vessels to be coated. Two are to be completed by January 2024. The second two will not be completed until January 2025. The Contractor shall submit a schedule to the City for approval. This project will require coordination with Water Remediation Technology (WRT) and Grand Island Utilities as they are scheduled to complete parts of the project. The schedule will require two mobilizations, to keep two tanks in service while the other two are being recoated.

<u>BIDS:</u> Bids are to be separated into two bids, with two vessels completed in 2024 and two vessels completed in 2025.

CONTACT: To arrange a visit or for any questions regarding this specification contact Lynn Mayhew at 308-385-5494.

INSURANCE REQUIREMENTS: Contractor agrees to the terms of the City's Insurance Requirements attached.

PAINTING SPECIFICATIONS

PART 1 GENERAL

1.1 REFERENCES

- A. ANSI/NSF 61 Drinking Water System Components Health Effects.
- B. ASTM D 16 Terminology Relating to Paint, Varnish, Lacquer, and Related Products.
- C. AWWA C 652 Disinfection of Water-Storage Facilities.
- D. AWWA D 102 Painting Steel Water Storage Tanks.
- E. SSPC-SP 3 Power Tool Cleaning.
- F. SSPC-SP 10/NACE 2 Near-White Metal Blast Cleaning.

1.2 **DEFINITIONS**

- A. Definitions of Painting Terms: ASTM D 16, unless otherwise specified.
- B. Dry Film Thickness (DFT): Thickness of a coat of paint in fully cured state measured in mils (1/1000 inch).

1.3 SUBMITTALS

- A. Product Data: Submit manufacturer's product data for each coating, including generic description, complete technical data, surface preparation, and application instructions.
- B. Color Samples: Submit sample of original color for owners approval.
- C. Manufacturer's Quality Assurance: Submit manufacturer's certification that coatings comply with specified requirements and are suitable for intended application.
- D. Applicator's Quality Assurance: Submit list of a minimum of 5 completed projects of similar size and complexity to this Work. Include for each project:
 - 1. Project name and location.
 - 2. Name of owner.
 - 3. Name of contractor.
 - 4. Name of engineer.
 - 5. Name of coating manufacturer.
 - 6. Approximate area of coatings applied.
 - 7. Date of completion.
- E. Warranty: Submit manufacturer's standard warranty.

1.4 QUALITY ASSURANCE

A. Manufacturer's Qualifications:

- 1. Specialize in manufacture of coatings with a minimum of 10 years successful experience.
- 2. Able to demonstrate successful performance on comparable projects.
- 3. Single Source Responsibility: Coatings and coating application accessories shall be products of a single manufacturer.
- B. Applicator's Qualifications:
 - 1. Experienced in application of specified coatings for a minimum of 5 years on projects of similar size and complexity to this Work.
 - 2. Applicator's Personnel: Employ persons trained for application of specified coatings.
- C. Pre-application Meeting: Convene a pre-application meeting [2] two weeks before start of application of coating systems. Require attendance of parties directly affecting work of this section, including Contractor, Engineer, applicator, and manufacturer's representative. Review the following:
 - 1. Environmental requirements.
 - 2. Protection of surfaces not scheduled to be coated.
 - 3. Surface preparation.
 - Application.
 - 5. Disinfection.
 - 6. Repair.
 - 7. Field quality control.
 - 8. Cleaning.
 - 9. Protection of coating systems.
 - 10. One-year inspection.
 - 11. Coordination with other work.

1.5 DELIVERY, STORAGE, AND HANDLING

- A. Delivery: Deliver materials to site in manufacturer's original, unopened containers and packaging, with labels clearly identifying:
 - 1. Coating or material name.
 - 2. Manufacturer.
 - 3. Color name and number.
 - 4. Batch or lot number.
 - 5. Date of manufacture.
 - 6. Mixing and thinning instructions.
- B. Storage:
 - 1. Store materials in a clean dry area and within temperature range in accordance with manufacturer's instructions.
 - 2. Keep containers sealed until ready for use.
 - 3. Do not use materials beyond manufacturer's shelf life limits.
- C. Handling: Protect materials during handling and application to prevent damage or contamination.

1.6 ENVIRONMENTAL REQUIREMENTS

- A. Weather:
 - 1. Air and Surface Temperatures: Prepare surfaces and apply and cure coatings within air and surface temperature range in accordance with manufacturer's instructions.
 - 2. Surface Temperature: Minimum of 5 degrees F (3 degrees C) above dew point.
 - 3. Relative Humidity: Prepare surfaces and apply and cure coatings within relative humidity range in accordance with manufacturer's instructions.
 - 4. Precipitation: Do not prepare surfaces or apply coatings in rain, snow, fog, or mist.
 - Wind: Do not spray coatings if wind velocity is above manufacturer's limit.
- B. Ventilation: Provide ventilation during coating evaporation stage in confined or enclosed areas in accordance with AWWA D 102.

C. Dust and Contaminants:

- 1. Schedule coating work to avoid excessive dust and airborne contaminants.
- 2. Protect work areas from excessive dust and airborne contaminants during coating application and curing.

PART 2 PRODUCTS

2.1 PAINT MANUFACTURER

A. Tnemec Company Incorporated, 6800 Corporate Drive, Kansas City, Missouri 64120-1372. Local Representative: Ross Sudbeck (402) 290-0622 Modern Coating Solutions

2.2 COATING SYSTEMS FOR EXTERIOR STEEL

A. Exterior -Epoxy/Urethane

- 1. System Type: Polyamide Epoxy/Aliphatic Urethane
- 2. Surface Preparation: Power-wash with additives to remove and kill surface contaminants
 - Power-tool clean in accordance with SSPC-SP3. Feather edges.
- 3. Spot Prime: Tnemec Series 135 Chembuild to all power-tool cleaned areas only. DFT 3.0 to 4.0 mils.
- 4. First Coat: Tnemec Series 27 FC Typoxy to all exterior surfaces. DFT 2.5 to 3.5 mils
- 5. Finish Coat: Series 1094U Endura-Shield to all exterior surfaces. DFT 2.5 to 3.5 mils.
- 6. Total DFT: 5.0 to 11.0 mils.
- 7. Finish Color: To match original color.

2.3 COATING SYSTEMS FOR INTERIOR STEEL

A. Interior, Wet:

- 1. System Type: Zinc/Epoxy/Epoxy. Tnemec Hydro-System.
- 2. AWWA D 102 Paint System: ICS-3.
- 3. ANSI/NSF 61 Certified: For use inside potable water storage tanks.
- 4. Surface Preparation: SSPC-SP 10/NACE 2.
- 5. Primer: Series 94-H₂O Hydro-Zinc DFT 2.5 to 3.5 mils.
- 6. Stripe Coat Brush primer on seams, angles, and hard to reach area with Series N140 epoxy.
- 7. Finish Coat: Series 22 Epoxoline DFT 20.0 to 40.0 mils.
- 8. Total DFT: 22.5 to 43.5 mils.
- 9. Finish Color: Tank White.

2.4 ACCESSORIES

- A. Coating Application Accessories:
 - 1. Accessories required for application of specified coatings in accordance with manufacturer's instructions, including thinners.
 - 2. Products of coating manufacturer.

PART 3 EXECUTION

3.1 EXAMINATION

A. Examine areas and conditions under which coating systems are to be applied. Notify Engineer of areas or conditions not acceptable. Do not begin surface preparation or application until unacceptable areas or conditions have been corrected.

3.2 PROTECTION OF SURFACES NOT SCHEDULED TO BE COATED

- A. Protect surrounding areas and surfaces not scheduled to be coated from damage during surface preparation and application of coatings.
- B. Immediately remove coatings that fall on surrounding areas and surfaces not scheduled to be coated.

3.3 SURFACE PREPARATION OF STEEL

- A. Prepare steel surfaces in accordance with manufacturer's instructions.
- B. Ensure surfaces are drv.
- C. **Interior:** Wet Substrate: Remove visible oil, grease, dirt, dust, mill scale, rust, paint, oxides, corrosion products, and other foreign matter in accordance with SSPC-SP 10/NACE 2.
 - 1. Abrasive Blast-Cleaned Surfaces: Coat abrasive blast-cleaned surfaces with primer before visible rust forms on surface. Do not leave blast-cleaned surfaces uncoated for more than 8 hours.
- D. **Exterior:** Remove visible oil, grease, dirt, dust, mildew, loose rust, loose paint, and other foreign matter in accordance with SSPC-SP3.

3.4 APPLICATION

- A. Apply coatings in accordance with manufacturer's instructions.
- B. Mix and thin coatings, including multi-component materials, in accordance with manufacturer's instructions.
- C. Keep containers closed when not in use to avoid contamination.
- D. Do not use mixed coatings beyond pot life limits.
- E. Use application equipment, tools, pressure settings, and techniques in accordance with manufacturer's instructions.
- F. Uniformly apply coatings at spreading rate required to achieve specified DFT. Thickness of coatings and paint shall checked with a non-destructive, magnetic-type thickness gauge, as per SSPC-PA 2 "Measurement of Dry Film Thickness with Magnetic Gages". References in PA 2 which allow 80% of the minimum thickness specified are not acceptable. Use an instrument such as a Tooke Gauge if a destructive test is deemed necessary by the Engineer.
- G. Apply coatings to be free of film characteristics or defects that would adversely affect performance or appearance of coating systems.
- H. Stripe paint with brush critical locations on steel such as welds, corners, and edges using specified primer.
- I. Use of spark-producing tools shall be prohibited where explosive fume concentrations may occur. The Contractor shall provide portable fire extinguishers of suitable type and sufficient number to permit placing at least one extinguisher at each location where the use of flammable products is in progress.
- J. No smoking shall be permitted in areas where volatile materials are in use or stored; Contractor is responsible for policing the work.
- K. Cloths, cotton, and waste material, which might constitute a fire hazard, shall be place in closed metal containers and removed from the work area at the end of each day's work.
- L. Primer and intermediate coats shall be of different tints to verify coverage.

3.5 DISINFECTION

- A. Disinfection of Water Contact Surfaces and Filling of Water Storage Tanks:
 - Do not disinfect water contact surfaces or fill water storage tanks until application of coating systems is complete, coatings have fully cured, and field quality control inspection is complete.

- 2. Allow number of days in accordance with manufacturer's instructions and as directed by Engineer for full cure of coating systems on water contact surfaces before flushing, disinfecting, or filling with water.
- 3. Disinfection: Will be performed by the City in accordance with AWWA C 652.

3.6 REPAIR

- A. Damaged Materials: Repair or replace damaged materials and surfaces not scheduled to be coated.
- B. Damaged Coatings: Touch-up or repair damaged coatings. Touch-up of minor damage shall be acceptable where result is not visibly different from adjacent surfaces. Recoat entire surface where touch-up result is visibly different, either in sheen, texture, or color.
- C. Coating Defects: Repair in accordance with manufacturer's instructions coatings that exhibit film characteristics or defects that would adversely affect performance or appearance of coating systems.

3.7 FIELD QUALITY CONTROL

- A. Inspector's Services:
 - 1. Verify coatings and other materials are as specified.
 - 2. Verify surface preparation and application are as specified.
 - 3. Verify DFT of each coat and total DFT of each coating system are as specified using wet film and dry film gauges.
 - 4. Coating Defects: Check coatings for film characteristics or defects that would adversely affect performance or appearance of coating systems.
 - a. Check for holidays on interior steel immersion surfaces using holiday detector.
 - 5. Report:
 - Submit written reports describing inspections made and actions taken to correct nonconforming work.
 - b. Report nonconforming work not corrected.
 - c. Submit copies of report to Engineer and Contractor.
- B. Manufacturer's Field Services: Manufacturer's representative shall provide technical assistance and guidance for surface preparation and application of coating systems.

3.8 CLEANING

A. Remove temporary coverings and protection of surrounding areas and surfaces.

3.9 PROTECTION OF COATING SYSTEMS

A. Protect surfaces of coating systems from damage during construction.

3.10 ONE-YEAR INSPECTION

- A. Owner will set date for one-year inspection of coating systems.
- B. Inspection shall be attended by Owner, Contractor, and manufacturer's representative.
- C. Repair deficiencies in coating systems as determined by Engineer in accordance with manufacturer's instructions.

MINIMUM INSURANCE REQUIREMENTS CITY OF GRAND ISLAND, NEBRASKA

The successful bidder shall obtain insurance from companies authorized to do business in Nebraska of such types and in such amounts as may be necessary to protect the Bidder and the interests of the City against hazards or risks of loss as hereinafter specified. This insurance shall cover all aspects of the Bidder's operations and completed operations. Failure to maintain adequate coverage shall not relieve Bidder of any contractual responsibility or obligation. Minimum insurance coverage shall be the amounts stated herein or the amounts required by applicable law, whichever are greater.

1. WORKERS COMPENSATION AND EMPLOYER'S LIABILITY

This insurance shall protect the Bidder against all claims under applicable State workers compensation laws. This insurance shall provide coverage in every state in which work for this project might be conducted. The liability limits shall not be less than the following:

Workers Compensation Employers Liability Statutory Limits \$100,000 each accident \$100,000 each employee \$500,000 policy limit

2. BUSINESS AUTOMOBILE LIABILITY

This insurance shall be written in comprehensive form and shall protect the Bidder, Bidder's employees, or subcontractors from claims due to the ownership, maintenance, or use of a motor vehicle. The liability limits shall not be less than the following:

Bodily Injury & Property Damage

\$ 500,000 Combined Single Limit

3. COMPREHENSIVE GENERAL LIABILITY

The comprehensive general liability coverage shall contain no exclusion relative to explosion, collapse, or underground property. The liability limits shall not be less than the following:

Bodily Injury & Property Damage

\$ 500,000 each occurrence \$1,000,000 aggregate

4. UMBRELLA LIABILITY INSURANCE

This insurance shall protect the Bidder against claims in excess of the limits provided under employer's liability, comprehensive automobile liability, and commercial general liability policies. The umbrella policy shall follow the form of the primary insurance, including the application of the primary limits. The liability limits shall not be less than the following:

Bodily Injury & Property Damage

\$1,000,000 each occurrence \$1,000,000 general aggregate

5. ADDITIONAL REQUIREMENTS

The City may require insurance covering a Bidder or subcontractor more or less than the standard requirements set forth herein depending upon the character and extent of the work to be performed by such Bidder or subcontractor.

Insurance as herein required shall be maintained in force until the City releases the Bidder of all obligations under the Contract.

The Bidder shall provide and carry any additional insurance as may be required by special provisions of these specifications.

6. CERTIFICATE OF INSURANCE

Satisfactory certificates of insurance shall be filed with the City prior to starting any work on this Contract. The certificates shall show the City as an additional insured on all coverage except Workers Compensation. The certificate shall state that thirty (30) days written notice shall be given to the City before any policy is cancelled (strike the "endeavor to" wording often shown on certificate forms). If the Bidder cannot have the "endeavor to" language stricken, the Bidder may elect to provide a new certificate of insurance every thirty (30) days during the contract. Bidder shall immediately notify the City if there is any reduction of coverage because of revised limits or claims paid which affect the aggregate of any policy.